

File No. 32011/41/2020-GA
Government of India
Ministry of Finance
Department of Economic Affairs
(General Administration Section)

North Block, New Delhi. Dated : 20th January, 2021

Notice For Inviting Quotations

Subject: Notice for Inviting Techno-Commercial offer from the CPSUs/State PSUs for supply and installation of items as per Annexures in the Department of Economic Affairs, Ministry of Finance, North Block, New Delhi.

Department of Economic Affairs, Ministry of Finance, North Block, New Delhi for and on behalf of the President of India invites Proposal in sealed covers from eligible and qualified Central Government organisation /PSU for supply and installation of **Items viz. Three heavy duty printers (specification attached at Annexure-I), Qty. 10 5KVA online UPS (specifications attached at Annexure-II) in the Department of Economic Affairs, Ministry of Finance, North Block, New Delhi.** The PSUs concerned will submit their comprehensive proposal along with the BOQ against each items required to be installed. The selected CPSU will ensure the said supply and installation is taken place within a time frame of maximum Three days.

2. The interested PSUs have to submit the **TECHNICAL and COMMERCIAL Quotation in separate Sealed Covers** at the address detailed at Para-4 below.

3. **Important Dates:-**

- Start Date & End Date for submission of documents along with quotation: From 20.01.2021 at 05:00 PM to 23.01.2021 at 5:30 PM.
- Quotations received after this date will summarily be rejected.

4. All eligible CPSUs may download the documents from the web site of Central Public Procurement Portal <https://eprocure.gov.in/cppp/> as well as on **dea.gov.in** and shall submit its quotations by utilising the downloaded document on the following address:

"Under Secretary to the Government of India, DEA, Ministry of Finance, Room No.48B, North Block, New Delhi"

5. Eligibility Criteria:

(i) The Project is required to be carried out on "Turn Key" basis. The PSU having lowest price and least Consulting Charges will be declared as L-1.

(ii) The PSU capable of making arrangement for the Demonstration of Heavy Duty printer at Annexure-I with in a day upon intimation by this Department.

(iii) The PSU capable of Supply, installation and maintenance of all the required items with-in three days after the work order is placed.

(iv) The PSU shall take the responsibility of the maintenance of all the required items during the entire warranty period.

6. For any related queries/ clarifications, applicant may please contact over following phone numbers: 011-23095114, 011-23095218

NOTE: Any clarification/representation required in the matter may be made in writing though email on amitkumar.edu@nic.in, dutt.sunil@nic.in. No representations will be accepted after 23.01.2021 at 5:30 PM.

7. It is the responsibility of the bidders to ensure that their documents, whether sent by post or by courier or by person, are reached the address stipulated in para 4 above before the closing date and time stipulated above in the Para 3 above, failing which the quotation would be considered late and rejected.

8. As per procedure, after award of work order, an MoU will be signed with selected PSU clearly spelling out the ToR/Scope of Work.

9. The Invitation for Quotation document is not transferable.

A handwritten signature in blue ink, followed by the date '20/01/2021' written in blue ink.

(Amit Kumar)

Under Secretary to the Government of India
011-23095063

Annexure - I

Specifications for Heavy Duty Colour Multifunction Printer**Speed** : Colour / Black-and-White : 70 ppm and above**Monthly Duty Cycle** : Up to 300,000 pages / month**Recommended Average Monthly Print Volume** : 10,000 to 40,000 pages**Hard Drive / Processor / Memory** : Minimum 250 GB HDD / Intel® Atom™ Quad Core 1.91 GHz / 2 MB Cache / 8 GB system memory**Connectivity** Ethernet 10/100/1000 Base-T, High-speed USB 2.0 direct print, Wi-Fi Direct with optional USB Wireless Adapter, Near Field Communication (NFC)**Copy and Print****Copy and Print Resolution** **Copy**: 600 x 600 dpi; **Print**: 1200 x 2400 dpi**First-Print-Out Time colour/black-and-white** : As fast as 4.7 / 4.0 seconds**First-Copy-Out Time** (from platen/warmed up state) : As fast as 5.2 seconds / As fast as 4.9 seconds**Page Description Language** Adobe® PostScript® 3™, Adobe® PDF, PCL® 5c / PCL 6, optional XML Paper Specification (XPS®)**Print Features** Print from USB, Encrypted Secure Print, Job Identification, Booklet Layout, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs**Scan****Standard Features Destinations**: Scan to USB / Email / Network (FTP/SMB); **File Formats**: PDF, PDF/A, XPS, JPEG, TIFF; Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR), Scan to Folder, 1-Touch Apps, TWAIN Support**Security****Standard Features** McAfee® ePolicy Orchestrator Integration, HDD Overwrite, AES 256-bit Encryption (FIPS 140-2 compliant), SSL, SHA-256 Hash Message Authentication, Common Criteria Certification (ISO 15408), Encrypted Secure Print, Secure Fax, Secure Scan, Configuration Watchdog, Fleet Orchestrator, Secure Email, Network Authentication, TLS, SNMPv3, Audit Log, Access Controls, User Permissions, Cisco® Identity Services Engine (ISE) compatible**Power Consumption****Running (Average)** 110V: 653 watts, 220V: 972 watts**Auto Off/Sleep Mode** : 110V: 3.59 watts, 220V: 3.85 watts, (Default time to sleep mode= 2 minutes)**Warm-up (from Off)** As fast as 81 seconds**Recovery from Low Power** As fast as 2 seconds**Recovery from Sleep** As fast as 6.2 seconds**Paper Handling****Single-pass Duplex Automatic Document Feeder (DADF)****Capacity** : 130 sheets**Speed** 80 pages per minute black-and-white and colour (simplex), 139 images per minute (ipm) black-and-white and colour (duplex)

Paper Sizes Sensed 3.4 x 4.9 in. to 11.7 x 17 in. / 85 x 125 mm to 297 x 431.8 mm

Bypass Tray

Capacity : 100 sheets

Sizes : Custom Sizes: 3.5 x 3.9 in. to 12.6 x 19 in. / 89 x 98 mm to 320 x 483 mm

Weights : 16 lb. bond to 110 lb. cover / 60 to 300 gsm

Media Types

Bond, Card Stock, Card Stock Reloaded, Custom, Envelopes, Glossy Card Stock, Glossy Card Stock Reloaded, Heavyweight Card Stock, Heavyweight Card Stock Reloaded, Heavyweight Glossy Card Stock, Heavyweight Glossy Card Stock Reloaded, Hole Punched, Labels, Letterhead, Lightweight, Lightweight Cardstock, Lightweight Card Stock Reloaded, Lightweight Glossy Card Stock, Lightweight Glossy Card Stock Reloaded, Plain, Plain-Reloaded, Preprinted, Recycled, Transparencies

Trays 1 and 2 (Common to both tray configurations below)

Capacity : 520 sheets each

Sizes Tray 1: Custom Sizes: 5.5 x 7.2 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm short edge feed (SEF), Tray 2: Custom Sizes: 5.5 x 7.2 in. to 12 x 18 in. / 140 x 182 mm to SRA3 (SEF)

Weights 16 lb. bond to 140 lb. index / 60 to 256 gsm

Operating Systems

Windows Server 2008 SP2 (32- and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 and R2 (64-bit), Windows Server 2016 (64-bit), Windows Server 2019 (64-bit), Windows 7 (32- and 64-bit), Windows 8 (32- and 64-bit), Windows 8.1 (32- and 64-bit), Windows 10 (32- and 64-bit), Mac OS 10.12, 10.13, 10.14, Fedora® Core, Ubuntu®

Network Protocols

TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD, Microsoft Windows Networking over IP, IPv6, Secure FTP


Font Capability

PCL: 93 scalable fonts, line printer and bitmap font (including Cyrillic font support)
PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts



Annexure-II**Specification for UPS:-**

- (i) 5KVA online UPS
- (ii) Single phase
- (iii) 30 minutes backup

A handwritten signature in blue ink, consisting of stylized cursive letters, is located to the left of the list. A diagonal line is drawn across the signature from the bottom left to the top right.